





FOUL NETWORK								
Pipe Name	Size	Length	Slope	US IS	DS IS	MIN COVER	MAX COVER	MATERIAL
1.000	225.000	42.125	1.200	6.050	5.839	1.422	1.578	UPVC
1.001	225.000	45.471	1.200	5.839	5.612	1.578	1.668	UPVC
1.002	225.000	18.243	1.184	5.612	5.513	1.668	1.897	UPVC
2.000	225.000	49.722	1.198	6.150	5.899	1.490	1.511	UPVC
3.000	225.000	69.931	1.200	6.250	5.900	1.377	1.399	UPVC
3.001	225.000	23.341	1.199	5.900	5.783	1.378	1.380	UPVC
3.002	225.000	16.477	1.201	5.783	5.701	1.380	1.488	UPVC
3.003	225.000	12.928	1.200	5.701	5.639	1.488	1.666	UPVC
3.004	225.000	13.478	1.225	5.639	5.577	1.666	1.833	UPVC
1.003	225.000	3.177	1.244	5.513	5.500	1.780	1.897	UPVC

NOTES	
GENERAL NOTES	
1.	ALL DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL RELEVANT SPECIFICATIONS, BILLS OF QUANTITIES, ARCHITECTURAL, SERVICES AND ENGINEERING DRAWINGS.
2.	ANY DISCREPANCIES BETWEEN THESE DOCUMENTS SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER
3.	ALL DIMENSIONS ARE IN MM UNLESS NOTED OTHERWISE
4.	ALL LEVELS ARE IN METRES RELATED TO ORDNANCE DATUM.
5.	DRAWINGS ARE NOT TO BE SCALED

LEGEND	
	SITE BOUNDARY
	SITE OWNERSHIP BOUNDARY
	PROPOSED FOUL DRAIN
	PROPOSED FOUL MANHOLE
	EXISTING COMBINED DRAIN
	WAYLEAVE

[illegible]

PROJECT:	CLOONMORE REGENERATION LRD, TRALEE, Co.KERRY
CLIENT:	TULFARRIS CG LTD

TITLE:		
PROPOSED FOUL DRAINAGE LAYOUT		
DRAWN:	CHECKED:	APPROVED:
RH	GF	IB
PROJECT NUMBER:	DATE:	SCALE @ A1:
23824	10/08/2023	1:500
STATUS DESCRIPTION		STATUS:
FOR INFORMATION		S2
DRAWING NUMBER:		REV:
23824- MWP -00 -00 -DR-C- 2102		P01